

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

1441

SMALLPOX IN THE UNITED STATES.

CITY REPORTS.

Cases and Deaths Reported by City Health Authorities for the Week Ended Aug. 10, 1912.

City.	Cases.	Deaths.	City.	Cases.	Deaths
Dayton, Ohio Detroit, Mich Evansville, Ind Los Angeles, Cal. Manchester, N. H. Milwaukee, Wis New Orleans, La. Niagara Falls, N. Y	1 10 1 3	3	St. Louis, Mo San Francisco, Cal	1 1 1	1

Los Angeles City and County, Cal.

During November and December, 1911, the virulent type of smallpox appeared in the city of Los Angeles. The first case was found in a district occupied by Mexicans. From March to November, 1911. smallpox had been present during each month in the city. The cases were comparatively few, however, there being only 26 reported. These were all of the benign type of the disease so prevalent throughout the country and among the 26 cases there was no fatality. During the two months of November and December, 1911, however, the disease appeared in virulent form, and out of the 25 cases reported during these two months, 6 ended fatally. During January, 1912, there were 30 cases with 1 death; during February, 16 cases with 1 death. From March to June, inclusive, there were 32 cases without fatality. During July, however, the disease again appeared in virulent form and during this month there were 13 cases with 2 deaths. During the first 16 days of August there were 5 deaths. In the neighboring city of Pasadena there were, during the month of July, 3 cases of smallpox with 2 deaths.

In one family in Los Angeles the father and three children, none of whom had ever been vaccinated, were attacked. Three of these cases ended fatally. The mother, who was the only member of the family who had ever been vaccinated, was also the only one who did not contract the disease. None of the other fatal cases in the city were in persons who had ever been successfully vaccinated.

This outbreak is of especial interest, as being an instance of the occurrence of the virulent type of smallpox in a community in which the benign form of the disease had been present more or less continuously for a considerable time.

STATE REPORTS.

This table is compiled from reports made to the Bureau of the United States Public Health Service by the health authorities of certain States, and shows the number of cases of smallpox notified to the authorities in these States.

The following States report monthly: Arizona, California, Colorado, Connecticut, Illinois, Indiana, Iowa, Kansas, Maine, Maryland, Massachusetts, Michigan, Mississippi, Montana, New Jersey, New York, North Carolina, North Dakota, Oklahoma, Ohio, Oregon, Pennsylvania, South Dakota, Texas, Utah, Vermont, Virginia, Washington, Wisconsin, and Wyoming.

Florida, Minnesota, and the District of Columbia report by weeks.

SMALLPOX IN THE UNITED STATES—Continued.

Reports Received During Week Ended Aug. 30, 1912.

Places.	Date.	Cases.	Deaths.	Remarks.
Indiana:				The state of the s
Counties—				(
Allen	July 1-31	6]	
BrownCass	do	2		
Cass Delaware	do	$\frac{1}{2}$		
Delaware	dodo	1		
Henry Howard	do	0		
Laporte Lawrence Madison Marion	do	î		
Lawrence	do	1		
Madison	do	1		
Marion	do	6		
Shelby	do	2		
Vanderburg	do	4		
Wabash	do	1		
Wells	do	1		
			<u> </u>	
Total for State		31		
F14.				
Illinois:		1		
Counties—	T1 1 01	2		
Bond	July 1-31			
Clinton Cook	do	1 4	1	
Gallatin	do	13	1	
Henderson	do	13		
Kane	do	i		
Lasalle	do	10		
St. Clair	do	1		
Macoupin	do	î		
Macoupin Winnebago	do	2		
Total for State		36	1	
North Carolina:		1	Į.	
Counties—				
Bertie	July 1-31	2		
Buncombe	do	12		
Burke	do	1		
Craven	do	6		
Gates	do	1		
Granvine	do	3		
Hoke	do	1		
Lee	do	1		
Lenoir Mecklenburg	do	î		
New Hanover	do	3		
New Hanover Robeson	do	2		
Warren	do	5		
Wayne	do	i		
Wayne Yancy	do	î		
Total for State		43		
	·			
Texas:				
Counties—		}		
Dallas Goliad	May 1-31	2	1	
Goliad	do	4		
Gonzales		1		
Nueces	00	1		
Refugio Tarrant Travis Valverde.	do	16	2	
Trovic	do	3	1 -	
Valvarda	do	30	1	
Wood	do	18	1	
11 00d		10		
Total for State		77	4	
Valverde	June 1-30	. 3	1	
Wichita	do	1		
Total for State		. 4	1	
D. C.	T 1 1 01			
Refugio	July 1-31	1		
Van Zandt	ao	. 2		
Motal for State		3		
Total for State		3		
	I			1

SMALLPOX IN THE UNITED STATES—Continued.

Reports Received During Week Ended Aug. 30, 1912.

Places.	Date.	Cases.	Deaths.	Remarks.
Wisconsin: Counties— Adams		1		
BuffaloClarkDane	do	3 3 2		
Douglas Fond du Lac	do	1		
La Crosse	do	1 10		
Monroe Richland	do	1 13		
Vernon		5 2		
Waukesha Waupaca Winnebago	do	4		
Wood	do	5		
Total for State		59		
Grand total		253	6	

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLES FOR CERTAIN DISEASES, CITIES OF THE UNITED STATES, FOR WEEK ENDED AUG. 10, 1912.

Cities.	Popula- tion,	Total deaths					Scarlet fever.		Tuber- culosis.		Ty- phoid fever.	
	United States cen- sus, 1910.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.												
Baltimore, Md Boston, Mass Chicago, Ill Cleveland, Ohio. New York, N. Y Philadelphia, Pa. Pittsburgh, Pa St. Louis, Mo	558, 485 670, 585 2, 185, 283 560, 663 4, 766, 883 1, 549, 008 533, 905 687, 029	200 191 594 176 1,267 447 164 160	7 35 75 29 210 43 15	2 9 1 20 2 3 3	4 30 58 7 187 6 73 3	4 1 2	11 10 104 20 73 26 17	4	50 53 119 24 438 123 22 42	21 16 56 12 161 42 13 14	25 10 21 11 201 47 9 21	2 4 9 6 3 7
Cities having from 300,000 to 500,000 inhabitants.												
Cincinnati, Ohio Detroit, Mich Los Angeles, Cal Milwaukee, Wis Newark, N. J New Orleans, La. San Francisco, Cal Washington, D. C	364, 463 465, 766 319, 198 373, 857 347, 469 339, 075 416, 912 331, 069	110 156 92 79 87 124 109 126	9 19 1 5 18 3 7	1 1 1 	2 1 19 4 2 1 14	1 1	3 10 3 17 1 5 1	1	26 15 18 29 12 27 20	23 14 6 13 14 9 8	6 2 4 10 6 15 24	3 1
Cities having from 200,000 to 300,000 in- habitants.												
Jersey City, N. J	267,779 224,326	77 72	ii	· · · ·		i	10	i	14	6 9	7	_i
Cities having from 100,000 to 200,000 inhabitants.												
Bridgeport, Conn. Cambridge, Mass. Columbus, Ohio. Dayton, Ohio. Fall River, Mass.	104,839 181,548 116,577	13 44	2 5 4	1	1 1 4 1		2 2 6 		6 5 1 3 3	2 3 4 3 1	2 1 3 2	i